Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark:	VVIZ

Supplier's address:	WIZ, WIZ I.B.R.S.	/ C.C.R.I. Number 10461	, 5600VB Eindhoven, NL
---------------------	-------------------	-------------------------	------------------------

Model identifier:	9290025321W
-------------------	-------------

Type of light sour	Type	of li	ght	sourc	e:
--------------------	------	-------	-----	-------	----

Product parameters				
Anti-glare shield:	No	Dimmable:	Yes	
High luminance light source:	No			
Colour-tuneable light source:	Yes	Envelope:	-	
Mains or non-mains:	NMLS	Connected light source (CLS):	No	
(or other electric interface)				
Light source cap-type	CONNECTOR			
Lighting technology used:	LED	Non-directional or directional:	NDLS	
Lighting technology used:	LED		NDLS	

		= 0.0.00		
Parameter		Value	Parameter	Value
		General product p	arameters:	
0,	mption in on- 100 h), rounded est integer	11	Energy efficiency class	G
indicating if it r in a sphere (3	us flux (φuse), refers to the flux 60º), in a wide in a narrow cone	880 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	27006500
On-mode pexpressed in W	power (P _{on}),	11,0	Standby power (P _{sb}), expressed in W and rounded to the second decimal	0,00
for CLS, expre	ndby power (P _{net}) ssed in W and second decimal	-	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	80
Outer	Height	2	Spectral power	See image
dimensions	Width	1 000	distribution in the	in last page
without	Depth	12	1	

separate control gear, lighting control parts and non- lighting control parts, if any (millimetre)		range 250 nm to 800 nm, at full-load		
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-	
		Chromaticity coordinates (x and y)	0,383	
Parameters for LED and OLED light sources:				
R9 colour rendering index value	20	Survival factor	0,90	
the lumen maintenance factor	0,96			

(a)'-': not applicable; (b)'-': not applicable;

